

H

A B C D E ExportRoot F G Glossary H I J K L M N O P Q R S T U V W X Y Z .

(H) **13** terms

Delete term

[Close](#)

You are about to delete the term :

Confirm Cancel

handshake Created Apr 27, 2017 (22:17)

Abbreviation(s):

Synonym(s):

This refers to a way for two systems to signal each other without direct communication. For example, a PLC might set a bit in one of its tags to True, then a Transaction Group will see that tag value as a trigger to run. When finished, the Transaction Group will set the value back to False to inform the PLC.

HASP Created Sep 28, 2016 (22:19)

Abbreviation(s):

Synonym(s):

Hardware Against Software Piracy (HASP) is a technology that allows us to provide a physical (USB) license (used with the HASP module) instead of the traditional license key. This allows users to quickly move a license from one computer to another.

historian Created Mar 25, 2017 (00:22)

Abbreviation(s):

Synonym(s): high-performance historian

A system that stores historical data, usually in a database. Ignition's high-performance historian uses a few tricks to store data in a relational database (SQL Server, MySQL, etc.) and to only store the data you need in such a way that it is very fast to retrieve.

hot swap Created Mar 28, 2017 (23:50)

Abbreviation(s):

Synonym(s): hot-swap hot-swapable

This term is used to indicate that changes made the modules in Ignition can be done without stopping Ignition.

HMI Created Sep 28, 2016 (22:19)

Abbreviation(s):

Synonym(s): Interface

Human Machine Interface (HMI) is the user interface that allows people to interact with the machines and PLCs in their facility. Systems that monitor and control entire plants and provide historical and statistical data are often referred to as HMIs. The Vision module allows Ignition to act as an HMI by creating windows and launching clients to interact with your process.

HTML Created Sep 28, 2016 (22:19)

Abbreviation(s):

Synonym(s):

HyperText Markup Language (HTML) is the standard markup language for creating web pages and web applications. HTML defines the structure, layout, and style of a web document by using tags and attributes. HTML tags are surrounded by angle brackets, for example: <tagname>content goes here...</tagname>.

An HTML document structure starts with <HTML><HEAD>(enter here what document is about)<BODY> and ends with </BODY></HTML>. All the information you'd like to include in your Web page fits in between the <BODY> and </BODY> tags.

Hypertext refers to the fact that the document contains links that allow the reader to jump to other places in the document or to another document altogether.

HTML is commonly used in the Vision module to change the font or add line breaks in buttons and label components.

HTTP Created Sep 28, 2016 (22:19)

Abbreviation(s):

Synonym(s):

HyperText Transfer Protocol (HTTP) is the protocol for moving information across the Internet. All webpage addresses begin with "http://" or "https://" (for a secure connection) but most new browsers hide this from you. We say Ignition uses HTTP to communicate between the Clients and the Gateway. This just means that Ignition is using an existing, proven technology to transfer its information throughout the network.

Hardware Against Software Piracy. Created Dec 28, 2020 (23:15) by Unknown User (Anonymous User)

Abbreviation(s):

Synonym(s):

See HASP.

Human Machine Interface. Created Dec 28, 2020 (23:15) by Unknown User (Anonymous User)

Abbreviation(s):

Synonym(s):

See HMI.

HyperText Markup Language. Created Dec 28, 2020 (23:15) by Unknown User (Anonymous User)

Abbreviation(s):

Synonym(s):

See HTML.

HyperText Transfer Protocol. Created Dec 28, 2020 (23:15) by Unknown User (Anonymous User)

Abbreviation(s):

Synonym(s):

See HTTP.

Delete term

[Close](#)

You are about to delete the term :

Confirm Cancel

HSMS Created Dec 29, 2020 (10:29) by Unknown User (Anonymous User)

Abbreviation(s):

Synonym(s):

The High-Speed SECS Message Services (HSMS) protocol is transport protocol for communication between computers in semiconductor factories. HSMS defines a TCP/IP based Ethernet connection and is intended as a high-speed alternative to the simple SECS-I protocol. See also SECS/GEM.

High-Speed SECS Message Services Created Dec 29, 2020 (10:29) by Unknown User

(Anonymous User)

Abbreviation(s):

Synonym(s):

See (HSMS).
